












## HOW TO SET UP TEST PATIENTS IN ARIA FOR REGIMEN VALIDATION

As part of the regimen validation process, two test patients should be set-up for each regimen to be tested, one for the pharmacist validation and one for clinician validation which is then used for the nurse validation.

### Adult Regimens

<p>1. <b>New Patient</b></p> <p>Once logged in, Click <b>New</b> under the <b>Patient</b> tab</p>																				
<p>2. <b>PHARMACIST TEST PATIENT</b></p> <p><b>New → General Tab</b></p> <ul style="list-style-type: none"> <li>● <b>Patient name:</b> use K&amp;M SACT protocol number, e.g. BRA-002, as follows: <ul style="list-style-type: none"> <li>○ <b>Last name (upper case):</b> XXBRA</li> <li>○ <b>First name:</b> 002</li> </ul> </li> <li>● <b>D.O.B.:</b> enter any date but ensure patient will be over 18 years</li> <li>● <b>Sex:</b> Enter either Male or Female</li> <li>● <b>Error/test patient:</b> radio button must be checked</li> </ul>	<p><b>CONSULTANT TEST PATIENT</b></p> <p><b>New → General Tab</b></p> <ul style="list-style-type: none"> <li>● <b>Patient name:</b> use K&amp;M SACT protocol number, e.g. BRA-002, as follows: <ul style="list-style-type: none"> <li>○ <b>Last name (upper case):</b> XXTEST002</li> <li>○ <b>First name:</b> BRA</li> </ul> </li> <li>● <b>D.O.B.:</b> enter any date but ensure patient will be over 18 years</li> <li>● <b>Sex:</b> Enter either Male or Female</li> <li>● <b>Error/test patient:</b> radio button must be checked</li> </ul>																			
<p>3. <b>New → IDs Tab</b></p> <p><b>R number:</b> BRA-002</p> <p>If there are multiple test patients for the same regimen, version number can be added.</p> <p>Click <b>OK</b></p>	<p><b>New → IDs Tab</b></p> <p><b>R number:</b> BRA002</p> <p>If there are multiple test patients for the same regimen, version number can be added.</p> <p>Click <b>OK</b></p>																			
<p>4.</p> <p>Open the patient you've created by double clicking on their entry.</p>	 <table border="1"> <thead> <tr> <th>Patient</th> <th>R Number</th> <th>Date of Birth</th> </tr> </thead> <tbody> <tr> <td>xxTest002, Gyn</td> <td>gyn002</td> <td>May 26, 1963</td> </tr> <tr> <td>XXTEST002, BRA</td> <td>BRA002v6</td> <td>Aug 27, 1965</td> </tr> <tr> <td><b>XXTEST002, BRAv2</b></td> <td><b>BRA002v2</b></td> <td><b>Apr 20, 1956</b></td> </tr> <tr> <td>XXTEST002, HAEMCML</td> <td>HAEMCML002</td> <td>Jan 1, 1950</td> </tr> <tr> <td>XXTest002+023, GYN</td> <td>GYN002+023</td> <td>Jan 1, 1965</td> </tr> </tbody> </table>		Patient	R Number	Date of Birth	xxTest002, Gyn	gyn002	May 26, 1963	XXTEST002, BRA	BRA002v6	Aug 27, 1965	<b>XXTEST002, BRAv2</b>	<b>BRA002v2</b>	<b>Apr 20, 1956</b>	XXTEST002, HAEMCML	HAEMCML002	Jan 1, 1950	XXTest002+023, GYN	GYN002+023	Jan 1, 1965
Patient	R Number	Date of Birth																		
xxTest002, Gyn	gyn002	May 26, 1963																		
XXTEST002, BRA	BRA002v6	Aug 27, 1965																		
<b>XXTEST002, BRAv2</b>	<b>BRA002v2</b>	<b>Apr 20, 1956</b>																		
XXTEST002, HAEMCML	HAEMCML002	Jan 1, 1950																		
XXTest002+023, GYN	GYN002+023	Jan 1, 1965																		
<p>5. <b>History Window</b></p> <ul style="list-style-type: none"> <li>● <b>Allergies Tab:</b> Check 'No Known Allergies'</li> <li>● <b>Medications Tab:</b> Check 'No External Medications'</li> </ul>																				
<p>6. <b>Vital Signs Window</b></p> <ul style="list-style-type: none"> <li>● <b>Large patient</b> <ul style="list-style-type: none"> <li>○ Height 190cm</li> <li>○ Weight 115kg</li> </ul> </li> </ul> <p>Click <b>All Approve</b></p>																				


Paediatric Regimens

<p>1. <b>New Patient</b></p> <p>Once logged in, Click <b>New</b> under Patient</p>																										
<p>2. <b>PHARMACIST TEST PATIENT</b></p> <p><b>New → General Tab</b></p> <ul style="list-style-type: none"> <li>• <b>Patient name:</b> use K&amp;M SACT protocol number, e.g. BRA-002, as follows:             <ul style="list-style-type: none"> <li>○ <b>Last name (upper case):</b> XXBRA</li> <li>○ <b>First name:</b> 002</li> </ul> </li> <li>• <b>D.O.B.:</b> enter any date but ensure patient will be <b>under</b> 18 years</li> <li>• <b>Sex:</b> Enter either Male or Female</li> <li>• <b>Error/test patient:</b> radio button must be checked</li> </ul>	<p><b>CONSULTANT TEST PATIENT</b></p> <p><b>New → General Tab</b></p> <ul style="list-style-type: none"> <li>• <b>Patient name:</b> use K&amp;M SACT protocol number, e.g. BRA-002, as follows:             <ul style="list-style-type: none"> <li>○ <b>Last name (upper case):</b> XXTEST002</li> <li>○ <b>First name:</b> BRA</li> </ul> </li> <li>• <b>D.O.B.:</b> enter any date but ensure patient will be <b>under</b> 18 years</li> <li>• <b>Sex:</b> Enter either Male or Female</li> <li>• <b>Error/test patient:</b> radio button must be checked</li> </ul>																									
<p>3. <b>New → IDs Tab</b></p> <p><b>R number:</b> BRA-002</p> <p>If there are multiple test patients for the same regimen, version number can be added.</p> <p>Click <b>OK</b></p>	<p><b>New → IDs Tab</b></p> <p><b>R number:</b> BRA002</p> <p>If there are multiple test patients for the same regimen, version number can be added.</p> <p>Click <b>OK</b></p>																									
<p>4.</p> <p>Open the patient you've created by double clicking on their entry.</p>	<table border="1"> <thead> <tr> <th>Patient</th> <th>R Number</th> <th>Date of Birth</th> <th></th> </tr> </thead> <tbody> <tr> <td>xxTest002, Gyn</td> <td>gyn002</td> <td>May 26, 1963</td> <td></td> </tr> <tr> <td>XXTEST002, BRA</td> <td>BRA002v6</td> <td>Aug 27, 1965</td> <td></td> </tr> <tr style="border: 2px solid red;"> <td>XXTEST002, BRAv2</td> <td>BRA002v2</td> <td>Apr 20, 1956</td> <td></td> </tr> <tr> <td>XXTEST002, HAEMCML</td> <td>HAEMCML002</td> <td>Jan 1, 1950</td> <td></td> </tr> <tr> <td>XXTest002+023, GYN</td> <td>GYN002+023</td> <td>Jan 1, 1965</td> <td></td> </tr> </tbody> </table>		Patient	R Number	Date of Birth		xxTest002, Gyn	gyn002	May 26, 1963		XXTEST002, BRA	BRA002v6	Aug 27, 1965		XXTEST002, BRAv2	BRA002v2	Apr 20, 1956		XXTEST002, HAEMCML	HAEMCML002	Jan 1, 1950		XXTest002+023, GYN	GYN002+023	Jan 1, 1965	
Patient	R Number	Date of Birth																								
xxTest002, Gyn	gyn002	May 26, 1963																								
XXTEST002, BRA	BRA002v6	Aug 27, 1965																								
XXTEST002, BRAv2	BRA002v2	Apr 20, 1956																								
XXTEST002, HAEMCML	HAEMCML002	Jan 1, 1950																								
XXTest002+023, GYN	GYN002+023	Jan 1, 1965																								
<p>5. <b>History Window</b></p> <ul style="list-style-type: none"> <li>• <b>Allergies Tab:</b> Check 'No Known Allergies'</li> <li>• <b>Medications Tab:</b> Check 'No External Medications'</li> </ul>																										
<p>6. <b>Vital Signs Window</b></p> <ul style="list-style-type: none"> <li>• <b>Large patient</b> <ul style="list-style-type: none"> <li>○ Height 150cm</li> <li>○ Weight 50kg</li> </ul> </li> </ul> <p>Click <b>All Approve</b></p>																										

Adult Clinical Trials Regimens

**1. New Patient**

Once logged in, Click **New** under the **Patient** tab



**2. PHARMACIST TEST PATIENT**


**CONSULTANT TEST PATIENT**

**New → General Tab**

- Patient name:** use Study acronym and arm as follows
  - Last name (upper case): XXMAGNETISMM-5
  - First name: Arm A\*
- D.O.B.:** enter any date but ensure patient will be over 18 years
- Sex:** Enter either Male or Female
- Clinical Trial Patient:** radio button must be checked. This will automatically check the Track Adverse Events button, you can leave this.
- Error/test patient:** radio button must be checked

**New → General Tab**

- Patient name:** use Study acronym and arm as follows
  - Last name (upper case): XXTESTArm A\*
  - First name: magnetism-5
- D.O.B.:** enter any date but ensure patient will be over 18 years
- Sex:** Enter either Male or Female
- Clinical Trial Patient:** radio button must be checked. This will automatically check the Track Adverse Events button, you can leave this.
- Error/test patient:** radio button must be checked



**3. New → IDs Tab**

**R-number:** Trial name-001 e.g. R-number ICON9-001


**Trial ID & R number:** protocol number-001 e.g. C1071005-001

Click **OK**

**R-number:** Trial name001 e.g. R-number ICON9001

**Trial ID & R number:** protocol number001 e.g. C1071005001

Click **OK**




If there are multiple arms, numbering can increase sequentially from 001 -002-003 etc. If there are multiple test patient for the same regimen, version number can be added

**4. Open the patient you've created by double clicking on their entry.**

Patient	R Number	Date of Birth
XXMAGNETISMM-5, Arm A*	MAGNETISMM5-001	May 15, 1988
XXMAGNETISMM-5, Arm B*	Magnetismm-5 003	Jul 21, 1984
XXMAGNETISMM-5, Arm C*	Magnetismm-5 005	Aug 27, 1964

**5. History Window**

- Allergies Tab:** Check 'No Known Allergies'
- Medications Tab:** Check 'No External Medications'



**6. Vital Signs Window**

- Large patient**
  - Height 190cm
  - Weight 115kg

Click **All Approve**

